ELSEVIER

Sensors and Actuators B 24–25 (1995) 907–909

SENSORS AND ACTUATORS B CHEMICAL

Author Index of Volumes B24 and B25

Aberl, F., **24**, 107
Abuknesha, R., **24**, 80
Ache, H.J., **25**, 366, 448, 733
Adachi, G., **25**, 380, 619
Adami, M., **24**, 121; **25**, 889
Agapito, J.A., **25**, 507, 512
Aizawa, M., **24**, 1, 113
Alberti, G., **24**, 270
Albrecht, J., **24**, 225
Alliata, D., **25**, 889
Al-Marok, S., **24**, 317
Althainz, P., **25**, 366, 448
Amandi, D., **24**, 211
Andle, J.C., **24**, 49, 129
Ando, M., **25**, 851
Anno, Y., **25**, 623
Arakawa, T., **24**, 142
Arés, L., **25**, 507, 512
Aroutiounian, V.M., **25**, 353
Asakura, S., **24**, 291; **25**, 861
Asano, Y., **25**, 623, 797
Aste, T., **25**, 826
Attari, M., **25**, 737
Auge, J., **24**, 43
Aussenegg, F.R., **24**, 166
Avaritsiotis, J.N., **25**, 491, 495, 883

Baltes, H., **25**, 357
Banno, S., **25**, 619
Barbi, G.B., **25**, 559
Barker, P.S., **25**, 451
Bartrolí, J., **25**, 823
Bearzotti, A., **25**, 705, 714, 886, 904
Beirne, D., **24**, 98
Belyustin, A.A., **24**, 304
Ben Rashed, A.B., **24**, 248
Bergveld, P., **24**, 201, 252
Bertrand, D., **25**, 525
Beruto, D., **25**, 826
Bianco, A., **24**, 188
Boccuzzi, F., **25**, 540
Bodea, O., **25**, 710
Borchardt, M., **24**, 279, 300; **25**, 721
Bordieu, C., **25**, 777
Botter, R., **25**, 826
Bouche-Pillon, D., **24**, 257
Bove, M., **24**, 218
Brailsford, A.D., **25**, 362
Bratov, A., **25**, 823
Brink, G., **24**, 107; **25**, 756
Brunner, H., **24**, 166
Bruns, M., **25**, 733
Bruschi, P., **25**, 429
Brzózka, Z., **24**, 183
Bücher, S., **24**, 300
Bühner, M., **24**, 300
Bull, D.R., **24**, 248
Bychkov, E.A., **24**, 309; **25**, 733

Cabruja, E., **24**, 228
Cagnini, A., **24**, 85
Cai, J., **24**, 156
Cai, S.-D., **25**, 555
Caliendo, C., **25**, 670
Cambiaso, A., **24**, 218
Cammann, K., **24**, 276, 279, 300; **25**, 721, 769
Campanella, L., **24**, 188
Cané, C., **24**, 206
Cantalini, C., **25**, 673, 865
Carey, W.P., **25**, 454
Caron, J.J., **24**, 49
Carotta, M.C., **25**, 520
Caruso, G., **25**, 904
Chen, I.-C., **25**, 537
Cherubini, F., **24**, 270
Chilla, E., **24**, 65
Chiorino, A., **25**, 520, 540, 564
Cho, N.W., **25**, 474
Choi, S.-D., **25**, 607
Chung, W.-Y., **25**, 482
Chviruk, V.P., **24**, 320
Colapicchioni, C., **24**, 188
Coles, G.S.V., **25**, 469, 573
Compagnone, D., **24**, 138
Cordos, E., **25**, 710
Cornila, C., **25**, 357
Cui, D., **24**, 156

Dahlke, A., **25**, 366
Dalcanale, E., **24**, 39
D'Amico, A., **25**, 578, 670, 801, 808, 830
Davide, F., **25**, 578
Davide, F.A.M., **25**, 801, 808, 830
Davidson, J.L., **25**, 421
Debéda, H., **25**, 415
Déjous, C., **24**, 58
Dekeyser, J.C., **24**, 273
Del Carlo, C., **25**, 889
de Rooij, N.F., **24**, 117
de Saja, J.A., **25**, 643
de Saja-González, J., **25**, 643
De Schutter, F., **24**, 273; **25**, 462
DeSilva, M., **24**, 98
Dezzi, S., **24**, 188
Di Bartolomeo, C., **25**, 451
Diederich, H.-J., **25**, 899
Dieing, R., **24**, 69
Diekmann, C., **24**, 276, 279
Di Giulio, M., **25**, 465
Di Natale, C., **25**, 578, 801, 808, 830
Dominguez, C., **25**, 823
Dong, Y., **24**, 62; **25**, 854
Dong, Z., **24**, 156
Drost, S., **24**, 107; **25**, 785
Dubbe, A., **25**, 600
Dubrovsky, T., **24**, 121; **25**, 876
Dumschat, C., **24**, 276, 279, 300; **25**, 721
Dzyadevich, S.V., **24**, 145

Eastwood, P.G., **25**, 665
Egashira, M., **25**, 375, 843
Eijkel, J.C.T., **24**, 201
El'skaya, A.V., **24**, 145
Enderlein, J., **24**, 65
Endo, F., **25**, 794
Endres, H.-E., **25**, 785
Engelen, W., **25**, 462
Ermolenko, Y.E., **24**, 317
Erokhin, V., **24**, 121
Esteve, J., **24**, 228
Ezaki, S., **24**, 75

Fabry, P., **25**, 737
Facci, P., **24**, 121
Faccio, M., **25**, 673, 865
Facheris, L., **25**, 636
Faglia, G., **25**, 785, 801
Falconer, R.S., **24**, 49, 54
Fanigliulo, A., **25**, 876
Feng, G., **24**, 62; **25**, 854
Ferri, G., **25**, 673, 865
Fischer, S., **25**, 665
Fleischer, M., **25**, 544
Foglietti, V., **25**, 904
Fray, D.J., **24**, 273
Friedrich, M., **25**, 596
Frietsch-Klarhof, M., **25**, 366
Fröhlich, H.-J., **24**, 65
Fujii, T., **25**, 396
Fujimori, K., **25**, 396
Fukuda, K., **24**, 291; **25**, 861
Fukui, K., **25**, 486
Funazaki, N., **25**, 797
Furlani, A., **25**, 670

Gabrielli, C., **24**, 257
Gaggiotti, G., **25**, 516
Galdikas, A., **25**, 516
Galipeau, D.W., **25**, 681, 696
Galipeau, J.D., **24**, 49
Gauglitz, G., **24**, 149
Geckeler, K.E., **25**, 443
Gendel, S.M., **24**, 98
Gerblinger, J., **25**, 631, 639, 657
Getino, J., **25**, 507, 512
Ghiotti, G., **25**, 520, 564
Gibson, P.N., **25**, 559
Girardi, G., **24**, 266; **25**, 665
Giunta, G., **25**, 588
Gnappi, G., **25**, 705, 886
Gobernado-Mitre, M.I., **25**, 643
Godovski, D.Yu., **24**, 194
Golovanov, V., **25**, 532, 614, 628, 647
Göpel, W., **24**, 17, 69, 149; **25**, 357, 443, 600, 665, 808, 830
Gorton, L., **24**, 323
Goschnick, J., **25**, 366, 448
Göttler, W., **25**, 785
Gràcia, I., **24**, 206
Grasdepot, F., **25**, 603
Grattarola, M., **24**, 218
Greve, J., **24**, 90; **25**, 762
Groppelli, S., **25**, 588
Guessous, A., **24**, 296
Gurbuz, Y., **25**, 421
Gusmano, G., **25**, 705
Gutiérrez, J., **25**, 507, 512
Gutman, E.E., **24**, 162

Halbritter, J., **25**, 568
Hanack, M., **24**, 69
Hanamoto, H., **25**, 438
Han, J., **24**, 156
Harada, K., **25**, 548
Harada, T., **25**, 499
Hardeman, S., **24**, 98
Harris, G.J., **24**, 248
Hartmann, J., **24**, 39, 43
Haruta, M., **25**, 540, 851
Haruyama, T., **24**, 1, 113
Hasebe, Y., **24**, 94

Elsevier Science S.A.

Hauptmann, P., **24**, 43
Hayashi, K., **25**, 623
Hayashida, T., **24**, 142
Heideman, R.G., **24**, 90
Hemmi, A., **25**, 797
Hermes, T., **24**, 300
Hesketh, P.J., **24**, 98
Hierlemann, A., **25**, 357, 443, 808, 830
Higashi, K., **24**, 222
Hikita, K., **25**, 383
Hines, K.R., **25**, 696
Hinkers, H., **24**, 300
Hintsche, R., **25**, 899
Hirano, T., **24**, 94
Hirota, Y., **25**, 380
Hoefer, U., **25**, 529
Hoffmann, W., **25**, 733
Hofmann, A., **25**, 596
Hong, H.-K., **25**, 478, 610
Hong, Y.-H., **25**, 482
Horn, M., **25**, 400
Horrillo, M.C., **25**, 507, 512, 559
Huang, P.H., **25**, 686
Hüller, J., **24**, 225

Ichikawa, K., **25**, 701
Igarashi, N., **25**, 857
Iijima, Y., **24**, 103
Iiyama, S., **24**, 75
Ikariyama, Y., **24**, 1, 113
Ikeda, M., **25**, 794
Im, D.M., **24**, 149
Imamura, M., **24**, 1, 113
Imanaka, N., **25**, 380, 619
Infante, G., **25**, 670
Inoue, T., **25**, 388
Ipatov, A.V., **24**, 317
Ishihara, A., **25**, 861
Ishihara, T., **25**, 392
Ito, A., **25**, 692
Ito, S., **25**, 797
Ivanovskaya, I.S., **24**, 304
Iwadate, H., **25**, 815

Jain, A.K., **25**, 729
Jain, P.K., **25**, 729
Jander, H.D., **25**, 785
Jang, D.H., **24**, 149
Johnston, K.S., **25**, 747
Jorgenson, R.C., **25**, 747
Joseph, J.P., **25**, 407
Juhasz, C., **25**, 894
Jung, H.J., **25**, 474

Kačiulis, S., **25**, 516, 628
Kajiyama, Y., **25**, 388
Kanai, Y., **25**, 819
Kang, W.P., **25**, 421
Kapui, I., **24**, 323
Karlsen, S.R., **25**, 747
Katsube, T., **25**, 819
Kawaguchi, T., **25**, 375
Kerns, D.V., **25**, 421
Kikuchi, K., **25**, 433
Kim, S.-T., **25**, 610
Kim, T.-H., **25**, 482
Kimura, M., **25**, 857
Klewe-Nebenius, H., **25**, 733
Knecht, S., **24**, 69
Knoll, M., **24**, 276, 279, 300; **25**, 721
Kobatake, E., **24**, 1, 113
Kobayashi, H., **25**, 815
Kobayashi, T., **25**, 851
Kohata, M., **25**, 790
Kolodnikov, V.V., **24**, 317
Komaba, S., **25**, 724
Komljenović, J., **24**, 312
Kondo, T., **25**, 433
Kooyman, R.P.H., **24**, 90; **25**, 762
Korpan, Y.I., **24**, 145
Kosacki, I., **25**, 370
Kößlinger, C., **24**, 107
Koudelka-Hep, M., **24**, 117
Krause, S., **24**, 194
Kroll, A.V., **24**, 320
Kühner, G., **25**, 529
Kuroiwa, T., **25**, 692
Kurzweil, P., **25**, 403, 653
Kuwano, J., **25**, 438
Kwon, C.H., **25**, 478, 610

Lampe, U., **25**, 639, 657
Lantto, V., **25**, 532, 591, 614
Lanzi, M., **25**, 876
Lechuga, L.M., **25**, 762
Lee, B.-H., **25**, 610
Lee, D.-D., **25**, 482, 607
Lee, K., **25**, 478, 610
Lee, K.-W., **25**, 607
Legin, A.V., **24**, 309
Leiste, H., **25**, 568
Leitner, A., **24**, 166
Lenferink, A.T.M., **25**, 762
Lenggenhager, R., **25**, 357
Leonard, K.M., **25**, 458
Levi, A., **25**, 710
Li, Y., **24**, 156
Lin, F.-C., **25**, 843
Lin, J., **25**, 343
Lionti, I., **24**, 85
Lobmaier, Ch., **24**, 166
Loesch, M., **25**, 525
Logothetis, E.M., **25**, 362
Lora-Tamayo, E., **24**, 206
Lucat, C., **25**, 415
Lucklum, R., **24**, 43
Luyten, J., **25**, 462

Maclay, G.J., **24**, 98
Maekawa, T., **25**, 623
Makarov, S., **24**, 65
Malcovati, P., **25**, 357
Mallié, H., **25**, 737
Malyshev, V.V., **24**, 194
Manaka, J., **25**, 857
Manes, L., **25**, 559
Manoviciu, I., **25**, 710
Marco, S., **25**, 578
Mari, C.M., **24**, 266; **25**, 636
Marinelli, M., **25**, 904
Martin, J.R., **25**, 871
Martinelli, G., **25**, 520
Martini, M., **25**, 889
Martinoia, S., **24**, 218
Mascini, M., **24**, 85
Mason, L.W., **25**, 407
Massok, P., **25**, 525
Matsuguchi, M., **25**, 689, 692
Matsuno, T., **24**, 75
Matsushima, S., **25**, 661
Matsuura, Y., **25**, 388, 433
Mattogno, G., **25**, 516, 628
Maunz, W., **25**, 403, 584, 653
McAllister, D.J., **24**, 129
Meixner, H., **25**, 544, 631, 639, 657
Meixner, L., **24**, 211
Ménil, F., **25**, 415
Merlos, A., **24**, 228
Michel, H.-J., **25**, 568
Micocci, G., **25**, 465
Mileham, R.D., **25**, 681
Mitrovics, J., **25**, 808, 830
Miura, N., **24**, 134, 260, 287; **25**, 396, 499, 623, 797
Miyagishi, T., **25**, 692
Miyayama, M., **25**, 383, 714
Mizutani, F., **25**, 750
Mochida, T., **25**, 433
Möller, S., **25**, 343
Momma, T., **25**, 724
Monkman, A.P., **25**, 451
Montenero, A., **25**, 705, 886
Montesperelli, G., **25**, 705, 886
Moritz, W., **24**, 194
Mortimer, A.G., **24**, 328
Moscone, D., **24**, 138
Mrwa, A., **25**, 596
Müller, R., **25**, 781, 805
Muñoz, J., **25**, 823
Mutschall, D., **25**, 412

Nagai, K., **25**, 857
Nagy, G., **24**, 323
Nakagawa, H., **24**, 291; **25**, 861
Nakagawa, M., **25**, 790
Nakane, M., **25**, 486
Nakanishi, M., **25**, 375
Nakato, Y., **25**, 815
Nakayama, S., **24**, 282
Namira, E., **24**, 142
Nannini, A., **25**, 429
Nanto, H., **25**, 794
Narducci, D., **24**, 266; **25**, 636
Nelli, P., **25**, 588, 801
Nelson, T., **24**, 98
Neri, B., **25**, 429
Nerkararian, Kh.V., **25**, 353
Netchiporouk, L.I., **24**, 117
Neužil, P., **24**, 232
Nicolas, D., **25**, 871
Nicolini, C., **24**, 121; **25**, 876, 889
Niebling, G., **25**, 781, 805
Nishiguchi, K., **24**, 1
Noetzel, G., **25**, 357
Nonaka, S., **24**, 260

Obermeier, E., **25**, 343, 403, 412, 584
Oh, S., **25**, 407
Oh, S.M., **24**, 149
Ohtsuka, K., **25**, 388
Oizaki, T., **24**, 222
Okada, G., **25**, 661
Okazaki, S., **24**, 291
Olthuis, W., **24**, 252
Osaka, T., **25**, 724

Paddeu, S., **25**, 876
Paeschke, M., **25**, 899
Palchetti, I., **24**, 85
Palleschi, G., **24**, 138
Palombari, R., **24**, 270
Papadopoulos, C.A., **25**, 883
Papeschi, G., **24**, 336
Papet, P., **24**, 296
Park, H.S., **25**, 478
Paschkevitsch, P., **24**, 121
Pelino, M., **25**, 673, 865
Perczel, I.V., **25**, 631
Perego, C., **25**, 785, 801
Perov, S.P., **24**, 162
Perrot, H., **24**, 257
Petty, M.C., **25**, 451
Pfennig, G., **25**, 733
Pham, M.T., **24**, 225
Pichlmaier, J., **25**, 400, 552
Piras, L., **25**, 889
Pistré, J., **24**, 58; **25**, 777
Pittner, F., **24**, 166
Pizzini, S., **24**, 266
Planade, R., **24**, 58
Plog, C., **25**, 403, 584, 653
Poghossian, A.S., **24**, 159
Pozdnyakova, I.D., **24**, 304
Pride, R., **25**, 451
Prinetto, F., **25**, 564
Prodan, N., **25**, 710
Promsong, L., **25**, 504
Pumo, A., **25**, 705

Quezel, G., **25**, 737

Radić, N., **24**, 312
Rantala, T.S., **25**, 532
Rebière, D., **24**, 58; **25**, 777
Reed, G.P., **24**, 328
Reinhall, P.G., **25**, 753
Reinhoudt, D.N., **24**, 33, 197
Rella, R., **25**, 465
Réti, F., **25**, 631
Ribes, M., **24**, 296
Righini, G., **25**, 628, 886
Robla, J.I., **25**, 507, 512
Rodriguez-Méndez, M.L., **25**, 643

Roh, Y.-H., **25**, 610
Roman, C., **25**, 710
Rose, G., **25**, 426
Rösler, S., **24**, 43
Russo, M.V., **25**, 670

Sackmann, E., **24**, 107; **25**, 756
Sadaoka, Y., **24**, 282; **25**, 600, 661, 689, 692
Saiki, T., **24**, 134
Saito, T., **25**, 548
Sakai, G., **24**, 134
Sakai, H., **25**, 689
Sakai, Y., **24**, 282; **25**, 661, 689, 692
Samodumova, I.M., **24**, 173
Sanari, N., **25**, 790
Santos, J.P., **25**, 559
Sarradin, J., **24**, 296
Sartore, M., **24**, 121; **25**, 889
Sasaki, Y., **25**, 819
Sato, M., **24**, 260
Sato, S., **25**, 392
Satoh, I., **24**, 103
Satoh, S., **25**, 857
Sayago, I., **25**, 507, 512
Sberveglieri, G., **25**, 588, 785, 801
Schalkhammer, Th., **24**, 166
Scheibe, C., **25**, 403, 584
Scheller, F.W., **24**, 80
Schierbaum, K.-D., **24**, 69, 239; **25**, 443
Schipper, E.F., **24**, 90
Schnakenberg, U., **25**, 899
Scholz, F., **25**, 899
Schönberger, M., **24**, 211
Schuy, L., **25**, 448
Schweizer, M., **25**, 808, 830
Schweizer-Berberich, M., **25**, 665
Schweyer, M.G., **24**, 49
Scuderi, F., **25**, 904
Serra, A., **25**, 465
Serrini, P., **25**, 559
Šetkus, A., **25**, 516
Shane, M., **25**, 362
Shimizu, Y., **24**, 260; **25**, 375, 499, 843
Shi, C., **24**, 156
Shin, H.W., **25**, 478
Shul'ga, A.A., **24**, 117
Siciliano, P., **25**, 465
Sigl, H., **25**, 756
Silveira, J.P., **25**, 603
Singh, L.P., **25**, 729
Skafidas, P.D., **25**, 491
Smyntyna, V., **25**, 628, 647
Snow, K.A., **25**, 696
Soldatkin, A.P., **24**, 145
Solis, J.L., **25**, 591
Song, H.S., **25**, 474
Souteyrand, E., **25**, 871
Souto, J., **25**, 643
Sriyudthsak, M., **25**, 504
Stanglmaier, A., **24**, 107
Starodub, N.F., **24**, 173
Starodub, V.N., **24**, 173
Steiner, K., **25**, 529
Stöcklein, W.F.M., **24**, 80
Story, P.R., **25**, 681, 696
Streekstra, W., **24**, 252
Striebel, Ch., **24**, 149
Stroschine, J.D., **25**, 696
Sulz, G., **25**, 529
Sun, H.T., **25**, 673, 865
Sundermeier, C., **24**, 300
Sung-Tae , K., **25**, 478
Suzuki, K., **25**, 773

Takada, T., **25**, 548, 773
Takano, S., **25**, 857
Takao, Y., **25**, 375, 843
Takita, Y., **25**, 392
Tamaki, J., **25**, 396, 623
Tanjou, H., **25**, 548
Telli, L., **25**, 741
Tepore, A., **25**, 465
Timashev, S.F., **24**, 162
Tintinelli, A., **25**, 588
Tiret, C., **24**, 58
Toko, K., **24**, 75
Tomassetti, M., **24**, 188
Tomiyama, T., **25**, 790
Tränkler, H.-R., **25**, 400
Traversa, E., **25**, 661, 705, 714, 886
Tsai, P.P., **25**, 537
Tsubakino, S., **25**, 794
Tsubota, S., **25**, 540
Tsuchiya, K., **25**, 438
Tuller, H.L., **25**, 370
Turner, A.P.F., **24**, 85
Tzeng, M.H., **25**, 537

Uchida, H., **25**, 819
Uchiyama, S., **24**, 94
Uda, T., **24**, 134
Ueno, H., **25**, 433
Uhlig, A., **25**, 899
Uozumi, G., **25**, 383
Utsunomiya, K., **25**, 790
Uttenthaler, E., **24**, 107

Vaezi-Nejad, S.M., **25**, 894
Van der Poorten, C., **24**, 273
Vangrunderbeek, J., **25**, 462
van Hal, R.E.G., **24**, 201
Van Vliet, C.M., **24**, 6
Várhegyi, E.B., **25**, 631
Vasiliev, A.A., **24**, 194
Verona, E., **25**, 670
Verreschi, G., **24**, 218
Vetelino, J.F., **24**, 49, 129
Vetelino, K.A., **25**, 696
Vlachos, D.S., **25**, 491, 495, 883
Vlasov, Yu.G., **24**, 309, 317
Volpe, G., **24**, 138
Vopel, T., **24**, 225

Wada, T., **25**, 790
Wagner, E., **25**, 529
Wake, M., **24**, 282
Wakida, S., **24**, 222
Wang, S., **25**, 347
Wang, W.-C., **25**, 753
Wang, X., **25**, 454
Watanabe, K., **25**, 661
Weaver, J.T., **24**, 129
Weimar, U., **25**, 357, 808, 830
Wiemhöfer, H.-D., **24**, 149; **25**, 600
Williams, G., **25**, 469, 573
Wittman, E.L., **24**, 49
Woias, P., **24**, 211
Wolf, H., **24**, 107
Wróblewski, W., **24**, 183

Xu, Y.-C., **25**, 555
Xu, Y.-L., **25**, 555

Yabuki, S., **25**, 750
Yagi, H., **25**, 701
Yamafuji, K., **24**, 75
Yamamoto, I., **25**, 790
Yamamoto, M., **25**, 724
Yamane, M., **24**, 222
Yamashita, N., **25**, 790
Yamashita, Y., **25**, 790
Yamauchi, S., **25**, 724
Yamazoe, N., **24**, 134, 260, 287; **25**, 396, 499, 623, 797
Yan, Y., **24**, 260, 287
Yanagida, H., **25**, 383, 714
Yano, Y., **25**, 797
Yao, S., **24**, 260
Yao, X., **25**, 347, 865
Yee, S.S., **25**, 454, 747, 753
Yoo, K.S., **25**, 474
Yoshida, N., **25**, 499
Yoshida, Y., **25**, 388
Yun, D.H., **25**, 478, 610
Yussouff, M., **25**, 362

Zahn, D.R.T., **25**, 596
Zaitsev, S.Yu., **24**, 177
Zammit, U., **25**, 904
Zang, H., **24**, 156
Zanoni, R., **25**, 886
Zdanevitch, I., **25**, 426
Zerroual, L., **25**, 741
Zhang, L., **24**, 273; **25**, 347, 865
Zhou, R., **24**, 69; **25**, 443
Zhou, X.-H., **25**, 555
Zhylyak, G.A., **24**, 145

ELSEVIER

Sensors and Actuators B 24–25 (1995) 910–922

SENSORS AND ACTUATORS B CHEMICAL

Subject Index of Volumes B24 and B25

Acid rain
a preliminary application of highly sensitive nitrate ISFETs to acid-rain monitoring, **24**, 222
A.c. impedance
a.c. impedance analysis of gas-sensing property in CuO/ZnO heterocontacts, **25**, 383
Acoustic plate mode
selective acoustic plate mode DNA sensor, **24**, 129
Aging
electrical characterization of the aging of sealing materials for ISFET chemical sensors, **24**, 206
Air-bridge microheater
application of the air-bridge microheater to gas detection, **25**, 857
Alcohol sensors
thin tin-oxide film alcohol-gas sensor, **25**, 504
Alkali
sol–gel processed TiO_2-based thin films as innovative humidity sensors, **25**, 705
Aluminium melts
an electrochemical sodium sensor for aluminium melts, **24**, 273
Ambient temperature
amperometric response of ambient temperature oxygen sensors based on insulating material-dispersed $PbSnF_4$ layers, **25**, 438
Ammonia sensors
a novel method for the preparation of NH_3 sensors based on ZnO–In thin films, **25**, 588
Amperometric electrodes
effect of surfactants on the signal of chemically modified amperometric electrodes, **24**, 323
Amperometric gas sensors
potentiometric and amperometric gas sensors based on the protonic conduction of layered zirconium phosphates and phosphonates, **24**, 270
Amperometric sensors
an amperometric microsensor array with 1024 individually addressable elements for two-dimensional concentration mapping, **24**, 300
amperometric response of ambient temperature oxygen sensors based on insulating material-dispersed $PbSnF_4$ layers, **25**, 438
Analysis
a new ISFET device for cocaine analysis, **24**, 188
Anion conductor
solid-state potentiometric CO_2 sensors using anion conductor and metal carbonate, **24**, 260
Anodic stripping
chip-array electrodes for simultaneous stripping analysis of trace metals, **25**, 899
Antimonic acid
sensing characteristics of ISFET-based hydrogen sensor using proton-conductive thick film, **25**, 499
Aqueous ozone detector
aqueous ozone detector using In_2O_3 thin-film semiconductor gas sensor, **25**, 548
Aroma sensors
identification of aromas from wine using quartz-resonator gas sensors in conjuction with neural-network analysis, **25**, 794
Array microsystems
reception tuning of gas-sensor microsystems by selective coatings, **25**, 366
Astringency
study of astringency and pungency with multichannel taste sensor made of lipid membranes, **24**, 75
Atomic force microscope
characterization of silicon transducers with Si_3N_4 sensing surfaces by an AFM and a PAB system, **25**, 889
Automotive sensors
a new method for on-vehicle detection of catalyst malfunction based upon measurement of non-equilibrated gas mixtures, **25**, 665

Backside contacts
new technology for easy and fully IC-compatible fabrication of backside-contacted ISFETs, **24**, 228
Barium stannate
carbon-monoxide sensors based on thin films of $BaSnO_3$, **25**, 657
Batch-injection analysis
a mercury sensor for flow- and batch-injection analyses, **24**, 317
Biomedical sensors
using the site-binding model for an explanation of the blood compatibility of some materials used in biomedical sensors, **24**, 159
Biomolecules
surface plasmon resonance study for the detection of some biomolecules, **24**, 142
Biomolecule sensors
near-infrared surface plasmon resonance in silicon-based sensor: new opportunities in sensitive detection of biomolecules from aqueous solutions by applying microstep for discriminating specific and non-specific binding, **25**, 756
Biosensors
integrated molecular systems for biosensors, **24**, 1
disposable ruthenized screen-printed biosensors for pesticides monitoring, **24**, 85
determination of catecholamines and uric acid in biological fluids without pretreatment, using chemically amplified biosensors, **24**, 94
self-assembly of mediator-modified enzyme in porous gold-black electrode for biosensing, **24**, 113
high-sensitivity biosensor based on LB technology and on nanogravimetry, **24**, 121
application of urease conductometric biosensor for heavy-metal ion determination, **24**, 145

Elsevier Science S.A.

the use of metal-island-coated pH-sensitive swelling polymers for biosensor applications, **24**, 166
polymeric Langmuir films with glucose oxidase as prototype biosensors, **24**, 177
LB-based PAB immunosystem: activity of an immobilized urease monolayer, **25**, 876
Biosphere dynamics
biosphere dynamics and chemical sensors, **24**, 162
Blood compatibility
using the site-binding model for an explanation of the blood compatibility of some materials used in biomedical sensors, **24**, 159
Blood-gas analysis
a new type of transcutaneous P_{CO2} sensor, **24**, 156
Buffer capacity
a novel description of ISFET sensitivity with the buffer capacity and double-layer capacitance as key parameters, **24**, 201
Buffer ionic strength
sensitivity of novel ultrathin platinum film immunosensors to buffer ionic strength, **24**, 98

Cadmium sulphide
a cluster approach for the adsorption of oxygen and carbon monoxide on SnO_2 and CdS surfaces, **25**, 532
a comparison of conductance behaviour between SnO_2 and CdS gas-sensitive films, **25**, 614
influence of chemical composition on sensitivity and signal reproducibility of CdS sensors of oxygen, **25**, 628
Calcium
Ca- and Pt-catalysed thin-film SnO_2 gas sensors for CO and CO_2 detection, **25**, 529
Calibration time
sensor-array calibration time reduction by dynamic modelling, **25**, 578
Capacitive sensors
capacitive sensors in CMOS technology with polymer coating, **25**, 357
a capacitive CO_2 sensor with on-chip heating, **25**, 412
Capacitive-type sensor
capacitive-type sensors for the selective detection of nitrogen oxides, **25**, 392
Capacitive-type sensors
a thin-film polysulfone-based capacitive-type relative-humidity sensor, **25**, 692
a capacitive-type humidity sensor using crosslinked poly(methyl methacrylate-co-(2 hydroxypropyl)-methacrylate), **25**, 710
Carbon dioxide
Ca- and Pt-catalysed thin-film SnO_2 gas sensors for CO and CO_2 detection, **25**, 529
Carbon dioxide partial pressure sensors
a new type of transcutaneous P_{CO2} sensor, **24**, 156
Carbon dioxide sensors
preparation of K_2O–Sm_2O_3–$nSiO_2$-based solid-state electrolyte and its application to electrochemical CO_2 gas sensor, **24**, 282
a tip-type carbon dioxide gas-sensor probe based on lithium and oxide ionic conductors, **25**, 380
solid-state potentiometric CO_2 sensors using anion conductor and metal carbonate, **24**, 260
development and testing of a solid-state CO_2 gas sensor for use in reduced-pressure environments, **25**, 407
a capacitive CO_2 sensor with on-chip heating, **25**, 412
microstructure and response behaviour of electrodes for CO_2 gas sensors based on solid electrolytes, **25**, 600
carbon dioxide sensor using NASICON prepared by the sol–gel method, **25**, 607
CO_2 monitoring by solid-state limiting-current sensors, **25**, 636
Carbon felt electrode
coulometric measuring system based on carbon felt electrode and glucose oxide, **25**, 750
Carbon monoxide
Ca- and Pt-catalysed thin-film SnO_2 gas sensors for CO and CO_2 detection, **25**, 529
Carbon monoxide sensors
CO gas sensor based on Au–La_2O_3 loaded SnO_2 ceramic, **25**, 486
the influence of the tin-oxide deposition technique on the sensitivity to CO, **25**, 507
temperature dependencies of sensitivity and surface chemical composition of SnO_x gas sensors, **25**, 516
tin oxide (SnOx) carbon monoxide sensor fabricated by thick-film methods, **25**, 537
an IR study of CO-sensing mechanism on Au/ZnO, **25**, 540
ultrafine grain-size tin-oxide films for carbon monoxide monitoring in urban environments, **25**, 559
carbon-monoxide sensors based on thin films of $BaSnO_3$, **25**, 657
optical CO detection by use of CuO/Au composite films, **25**, 851
Catalyst malfunction
a new method for on-vehicle detection of catalyst malfunction based upon measurement of non-equilibrated gas mixtures, **25**, 665
Catalytic sensors
a new method using a catalytic sensor for the identification and concentration measurement of combustible gases, **25**, 426
Catecholamines
determination of catecholamines and uric acid in biological fluids without pretreatment, using chemically amplified biosensors, **24**, 94
Cation-selective electrodes
the effect of treatment of cation-selective glass electrodes with $AgNO_3$ solution on electrode properties, **24**, 304
Cavitands
selective detection of organic compounds by means of cavitand-coated QCM transducers, **24**, 39
Cell constants
theoretical and experimental determination of cell constants of planar-interdigitated electrolyte conductivity sensors, **24**, 252
Cellulose derivatives
detection of organic solvents with reliable chemical sensors based on cellulose derivatives, **25**, 443
Ceramic–glass composites
preparation of K_2O–Sm_2O_3–$nSiO_2$-based solid-state electrolyte and its application to electrochemical CO_2 gas sensor, **24**, 282
Ceramic sensors
niobium-doped α-Fe_2O_3 semiconductor ceramic sensors for the measurement of nitric oxide gases, **25**, 673
Cerium dioxide
study of the behaviour of CeO_2 in SO_2-containing environment, **25**, 631
Chalcogenide glasses
thin films of chalcogenide glass as sensitive membranes for the detection of mercuric ions in solution, **24**, 296
analytical applications of chalcogenide glass chemical sensors in environmental monitoring and process control, **24**, 309
Charge-flow transistors
gas sensing using a charge-flow transistor, **25**, 451
Chemical amplification
determination of catecholamines and uric acid in biological

fluids without pretreatment, using chemically amplified biosensors, **24**, 94
Chemical modification
effect of surfactants on the signal of chemically modified amperometric electrodes, **24**, 323
Chemical sensors
responsivity and noise in illustrative solid-state chemical sensors, **24**, 6
biosphere dynamics and chemical sensors, **24**, 162
durable chemical sensors based on field-effect transistors, **24**, 197
electrical characterization of the aging of sealing materials for ISFET chemical sensors, **24**, 206
new technology for easy and fully IC-compatible fabrication of backside-contacted ISFETs, **24**, 228
engineering of oxide surfaces and metal/oxide interfaces for chemical sensors: recent trends, **24**, 239
validation of the quartz-crystal microbalance response in liquid for sensor applications, **24**, 257
analytical applications of chalcogenide glass chemical sensors in environmental monitoring and process control, **24**, 309
detection of organic solvents with reliable chemical sensors based on cellulose derivatives, **25**, 443
development of a fiber-optic chemical sensor for multicontaminant monitoring of environmental systems, **25**, 458
on-line chemical sensors for high-temperature coal gases: the influence of humidity, **25**, 462
development of a high-temperature basic device for chemical sensors based on an IDC with on-chip heating, **25**, 584
sources of systematic errors in chemical sensor chemometrics, **25**, 769
connectivity of pore networks in chemically sensitive materials, **25**, 865
Chemiluminescence-based sensor systems
continuous determination and discrimination of mixed odour vapours by a new chemiluminescence-based sensor system, **25**, 790
Chemometrics
sources of systematic errors in chemical sensor chemometrics, **25**, 769
China
research and development of gas sensors in China, **25**, 555
state of sensing technology development in China, **25**, 854
Chlorine gas
electrochemical solid-state chlorine micro-generator for gas-detector calibration, **24**, 320
Chlorine sensor
potentiometric sensor using stabilized zirconia for chlorine gas, **24**, 287
Choline
disposable ruthenized screen-printed biosensors for pesticides monitoring, **24**, 85
Chromate ion sensors
a solid membrane sensor for chromate ions, **25**, 729
Chromium
chemical and electronic characterization of pure SnO_2 and Cr-doped SnO_2 pellets through their different response to NO, **25**, 564
Cluster approach
a cluster approach for the adsorption of oxygen and carbon monoxide on SnO_2 and CdS surfaces, **25**, 532
CMOS technology
capacitive sensors in CMOS technology with polymer coating, **25**, 357
Coal gases
on-line chemical sensors for high-temperature coal gases: the influence of humidity, **25**, 462
Cocaine hydrochloride
a new ISFET device for cocaine analysis, **24**, 188
Combustible gas sensors
a new method using a catalytic sensor for the identification and concentration measurement of combustible gases, **25**, 426
Concentration mapping
an amperometric microsensor array with 1024 individually addressable elements for two-dimensional concentration mapping, **24**, 300
Conductivity sensors
theoretical and experimental determination of cell constants of planar-interdigitated electrolyte conductivity sensors, **24**, 252
Conductometry
application of urease conductometric biosensor for heavy-metal ion determination, **24**, 145
Consommé soup
zinc-oxide-based semiconductor sensors for detecting acetone and capronaldehyde in the vapour of consommé soup, **25**, 623
Contact potential difference
semiconductor/metal/gas behaviour through surface-potential change, **25**, 871
Copper
ion-beam modification of ISFET membranes for copper ion detection, **24**, 225
Copper–arsenic–selenium glass
Cu^{2+}-selective thin films for chemical microsensors based on sputtered copper–arsenic–selenium glass, **25**, 733
Copper oxide
a.c. impedance analysis of gas-sensing property in CuO/ZnO heterocontacts, **25**, 383
optical CO detection by use of CuO/Au composite films, **25**, 851
Corroding metal electrode
nitrate-sensitive corroding metal electrode, **24**, 291
Coulometric measurement
coulometric measuring system based on carbon felt electrode and glucose oxide, **25**, 750
Coumarin derivatives
effects of organic solvents on semicontinuous immunochemical detection of coumarin derivatives, **24**, 80

Delay lines
mass sensitivity of temperature-stabilized surface acoustic wave delay lines on GaAs, **24**, 65
Devarda's alloy
nitrate-sensitive corroding metal electrode, **24**, 291
Diamond-like carbon
material and design considerations for low-power microheater modules for gas-sensor applications, **25**, 343
Differential LAPS
highly sensitive taste sensor with a new differential LAPS method, **25**, 819
Dihydroxyphenols
coulometric measuring system based on carbon felt electrode and glucose oxide, **25**, 750
Dimethylamine
semiconductor dimethylamine gas sensors with high sensitivity and selectivity, **25**, 375
Discrimination of wine vintages
complex chemical pattern recognition with sensor array: the discrimination of vintage years of wine, **25**, 801
Disposable electrode
disposable reference electrode, **24**, 276

Distributed feedback
CH_4 optical sensor using a 1.31 μm DFB laser diode, **25**, 603
DNA sensor
selective acoustic plate mode DNA sensor, **24**, 129
Domestic combustion systems
thick-film zinc-oxide gas sensor for the control of lean air-to-fuel ratio in domestic combustion systems, **25**, 610
Double-layer capacitance
a novel description of ISFET sensitivity with the buffer capacity and double-layer capacitance as key parameters, **24**, 201
Dynamic modelling
sensor-array calibration time reduction by dynamic modelling, **25**, 578

Electric potential
study of astringency and pungency with multichannel taste sensor made of lipid membranes, **24**, 75
Electrochemical biocell
in vivo continuous monitoring of L-lactate coupling subcutaneous microdialysis and an electrochemical biocell, **24**, 138
Electrochemical measurements
an array of H^+ FETs for space-resolved electrochemical measurements in microenvironments, **24**, 218
Electrochemical micro-generator
electrochemical solid-state chlorine micro-generator for gas-detector calibration, **24**, 320
Electrochemical sensors
a method for correcting short-term fatigue in electrochemical gas sensors, **24**, 248
an electrochemical sodium sensor for aluminium melts, **24**, 273
thin films of chalcogenide glass as sensitive membranes for the detection of mercuric ions in solution, **24**, 296
development of a robust electrochemical oxygen sensor, **24**, 328
Electrodeposition of enzymes
electrodeposited GOD/BSA electrodes: ellipsometric study and glucose-sensing behaviour, **24**, 149
Ellipsometric study
electrodeposited GOD/BSA electrodes: ellipsometric study and glucose-sensing behaviour, **24**, 149
Environmental monitoring
analytical applications of chalcogenide glass chemical sensors in environmental monitoring and process control, **24**, 309
Enzyme field-effect transistor
glucose-sensitive ENFET using potassium ferricyanide as an oxidizing substrate: the effect of an additional lysozyme membrane, **24**, 117
Enzymes
usage of organosilanes for integration of enzymes and immunocomponents with electrochemical and optical transducers, **24**, 173
Evanescent wave interferometer
feasibility of evanescent wave interferometer immunosensors for pesticide detection: chemical aspects, **25**, 762

Fiber-optic sensors
development of a fiber-optic chemical sensor for multicontaminant monitoring of environmental systems, **25**, 458
Field-effect sensor
monitoring of HF and F_2 using a field-effect sensor, **24**, 194
Field-effect transistors
durable chemical sensors based on field-effect transistors, **24**, 197
Finite-element method
material and design considerations for low-power microheater modules for gas-sensor applications, **25**, 343
Flow-injection analysis
design and properties of flow-through electrode with AgI-based membrane hydrophobized by PTFE; application to flow-injection determination of thiourea, **24**, 312
a mercury sensor for flow- and batch-injection analyses, **24**, 317
Fluoride
amperometric response of ambient temperature oxygen sensors based on insulating material-dispersed $PbSnF_4$ layers, **25**, 438
Fluorine
monitoring of HF and F_2 using a field-effect sensor, **24**, 194
Forward light scattering
optical viscosity sensor using forward light scattering, **25**, 753
Fractional dimension
simulation of the effect of fractional dimension on tin-oxide-based gas sensors, **25**, 495
FTIR spectroscopy
moisture effects on pure and Pd-doped SnO_2 thick films analysed by FTIR spectroscopy and conductance measurements, **25**, 520

Gallium arsenide
mass sensitivity of temperature-stabilized surface acoustic wave delay lines on GaAs, **24**, 65
Gallium oxide
a selective CH_4 sensor using semiconducting Ga_2O_3 thin films based on temperature switching of multigas reactions, **25**, 544
Gas adsorption
a cluster approach for the adsorption of oxygen and carbon monoxide on SnO_2 and CdS surfaces, **25**, 532
Gas sensors
supramolecular and polymeric structures for gas sensors, **24**, 17
a versatile SAW-based sensor system for investigating gas-sensitive coatings, **24**, 54
a surface acoustic wave gas sensor: detection of organophosphorus compounds, **24**, 58
a method for correcting short-term fatigue in electrochemical gas sensors, **24**, 248
material and design considerations for low-power microheater modules for gas-sensor applications, **25**, 343
a new type of gas sensor based on the semiconductor–cleft–semiconductor structure, **25**, 353
reception tuning of gas-sensor microsystems by selective coatings, **25**, 366
semiconductor dimethylamine gas sensors with high sensitivity and selectivity, **25**, 375
a.c. impedance analysis of gas-sensing property in CuO/ZnO heterocontacts, **25**, 383
physical description of the principle of an SO_2 sensor, **25**, 400
combustion gas sensitivity of zeolite layers on thin-film capacitors, **25**, 403
the thick-film route to selective gas sensors, **25**, 415
vapour and gas sensing by noise measurements on polymeric balanced bridge microstructures, **25**, 429
the influence of morphology on the response of iron-oxide gas sensors, **25**, 448
gas sensing using a charge-flow transistor, **25**, 451
transition between neck-controlled and grain-boundary-controlled sensitivity of metal-oxide gas sensors, **25**, 454
on-line chemical sensors for high-temperature coal gases: the influence of humidity, **25**, 462
SnO_2 thin films for gas sensor prepared by r.f. reactive sputtering, **25**, 465

surface morphology and gas-sensing characteristics of SnO_{2-x} thin films oxidized from Sn films, **25**, 474
tin oxide micro gas sensor for detecting CH_3SH, **25**, 478
characterization of porous tin oxide thin films and their application to microsensor fabrication, **25**, 482
the effect of humidity on tin-oxide thick-film gas sensors in the presence of reducing and combustible gases, **25**, 491
simulation of the effect of fractional dimension on tin-oxide-based gas sensors, **25**, 495
thin tin-oxide film alcohol-gas sensor, **25**, 504
the interaction of different oxidizing agents on doped tin oxide, **25**, 512
temperature dependencies of sensitivity and surface chemical composition of SnO_x gas sensors, **25**, 516
moisture effects on pure and Pd-doped SnO_2 thick films analysed by FTIR spectroscopy and conductance measurements, **25**, 520
comparison between two Figaro sensors (TGS 813 and TGS 842) for the detection of methane, in terms of selectivity and long-term stability, **25**, 525
Ca- and Pt-catalysed thin-film SnO_2 gas sensors for CO and CO_2 detection, **25**, 529
aqueous ozone detector using In_2O_3 thin-film semiconductor gas sensor, **25**, 548
research and development of gas sensors in China, **25**, 555
structural and electrical characterization of PVD-deposited SnO_2 films for gas-sensor application, **25**, 568
a study of tin-dioxide gas-sensor thermochemistry under conditions of varying oxygen partial pressure, **25**, 573
sensor-array calibration time reduction by dynamic modelling, **25**, 578
development of a high-temperature basic device for chemical sensors based on an IDC with on-chip heating, **25**, 584
a study of gas-sensing properties of sputtered α-$SnWO_4$ thin films, **25**, 591
response of lead phthalocyanine to high NO_2 concentration, **25**, 596
thick-film zinc-oxide gas sensor for the control of lean air-to-fuel ratio in domestic combustion systems, **25**, 610
a comparison of conductance behaviour between SnO_2 and CdS gas-sensitive films, **25**, 614
zinc-oxide-based semiconductor sensors for detecting acetone and capronaldehyde in the vapour of consommé soup, **25**, 623
interaction between collective and local subsystems in semiconductor surface-active structures, **25**, 647
impedance of zeolite-based gas sensors, **25**, 653
organometallic polymer membrane for gas detection applied to a surface acoustic wave sensor, **25**, 670
improvement of surface acoustic wave gas sensor response time using neural-network pattern recognition, **25**, 777
double-layer granular SnO_2 sensors, **25**, 826
application of the air-bridge microheater to gas detection, **25**, 857
semiconductor/metal/gas behaviour through surface-potential change, **25**, 871
the effect of film oxygen content on SnO_x gas-sensor selectivity, **25**, 883

Glass electrodes
the effect of treatment of cation-selective glass electrodes with $AgNO_3$ solution on electrode properties, **24**, 304

Glucose oxidase
electrodeposited GOD/BSA electrodes: ellipsometric study and glucose-sensing behaviour, **24**, 149
polymeric Langmuir films with glucose oxidase as prototype biosensors, **24**, 177
coulometric measuring system based on carbon felt electrode and glucose oxide, **25**, 750

Glucose sensor
glucose-sensitive ENFET using potassium ferricyanide as an oxidizing substrate: the effect of an additional lysozyme membrane, **24**, 117
electrodeposited GOD/BSA electrodes: ellipsometric study and glucose-sensing behaviour, **24**, 149

Gold
CO gas sensor based on Au–La_2O_3 loaded SnO_2 ceramic, **25**, 486
an IR study of CO-sensing mechanism on Au/ZnO, **25**, 540
optical CO detection by use of CuO/Au composite films, **25**, 851

Gold-black
self-assembly of mediator-modified enzyme in porous gold-black electrode for biosensing, **24**, 113

Grain size
ultrafine grain-size tin-oxide films for carbon monoxide monitoring in urban environments, **25**, 559

Grain-size effects
transition between neck-controlled and grain-boundary-controlled sensitivity of metal-oxide gas sensors, **25**, 454

Heavy-metal ion determination
application of urease conductometric biosensor for heavy-metal ion determination, **24**, 145

Heterocontacts
a.c. impedance analysis of gas-sensing property in CuO/ZnO heterocontacts, **25**, 383
study of the conduction mechanism of La_2CuO_4–ZnO heterocontacts at different relative humidities, **25**, 714

High-resistivity materials
investigation of electrical properties of high-resistivity materials for solid-state sensors, **25**, 894

Human serum albumin
selective and repeatable detection of human serum albumin by using piezoelectric immunosensor, **24**, 134

Humidity effects
the effect of humidity on tin-oxide thick-film gas sensors in the presence of reducing and combustible gases, **25**, 491
physical interpretation of the influence of humidity on an SO_2 sensor, **25**, 552

Humidity sensors
effects of surface physical sorption on characteristic of coated quartz-crystal humidity sensor, **24**, 62
a study of low-cost sensors for measuring low relative humidity, **25**, 681
sensor calibration of a SAW resonator for absolute humidity measurements in microelectronic packages, **25**, 686
humidity sensor durable at high humidity using simultaneously crosslinked and quaternized poly(chloromethyl styrene), **25**, 689
a study of condensation and dew point using a SAW sensor, **25**, 696
high-temperature humidity sensor using a limiting-current-type plane multi-oxygen sensor for direct firing system, **25**, 701
sol–gel processed TiO_2-based thin films as innovative humidity sensors, **25**, 705
a capacitive-type humidity sensor using crosslinked poly(methyl methacrylate-co-(2 hydroxypropyl)-methacrylate), **25**, 710
study of the conduction mechanism of La_2CuO_4–ZnO heterocontacts at different relative humidities, **25**, 714
application of the air-bridge microheater to gas detection, **25**, 857
surface composition of alkali-doped TiO_2 films for sensors investigated by XPS, **25**, 886

Hybrid-enzyme membrane
multi-ion biosensor with use of a hybrid-enzyme membrane, **24**, 103
Hydrogen fluoride
monitoring of HF and F_2 using a field-effect sensor, **24**, 194
Hydrogen sensors
a polycrystalline diamond thin-film-based hydrogen sensor, **25**, 421
sensing characteristics of ISFET-based hydrogen sensor using proton-conductive thick film, **25**, 499
role and mechanism of the formation of hydrogen-induced interface states for platinum/silicon oxide/silicon MOS tunnelling diodes, **25**, 815
hydrogen-sensing mechanism of zinc oxide varistor gas sensors, **25**, 843
Hydrogen sulfide microsensor
theory, design and operation of a surface acoustic wave hydrogen sulfide microsensor, **24**, 49
Hydrogen sulfide sensor
highly sensitive and selective H_2S gas sensor from r.f. sputtered SnO_2 thin film, **25**, 433

Immunochemistry
effects of organic solvents on semicontinuous immunochemical detection of coumarin derivatives, **24**, 80
Immunocomponents
usage of organosilanes for integration of enzymes and immunocomponents with electrochemical and optical transducers, **24**, 173
Immunoenzymatic assay
LB-based PAB immunosystem: activity of an immobilized urease monolayer, **25**, 876
Immunology
comparison of the QCM and the SPR method for surface studies and immunological applications, **24**, 107
Immunosensors
feasibility of optical waveguide immunosensors for pesticide detection: physical aspects, **24**, 90
sensitivity of novel ultrathin platinum film immunosensors to buffer ionic strength, **24**, 98
selective and repeatable detection of human serum albumin by using piezoelectric immunosensor, **24**, 134
feasibility of evanescent wave interferometer immunosensors for pesticide detection: chemical aspects, **25**, 762
Impedance spectroscopy
models and methods of determining the transient response of ion sensors: comparison with impedance spectroscopy, **25**, 737
Indium
a novel method for the preparation of NH_3 sensors based on ZnO–In thin films, **25**, 588
Indium oxide
aqueous ozone detector using In_2O_3 thin-film semiconductor gas sensor, **25**, 548
Infrared studies
an IR study of CO-sensing mechanism on Au/ZnO, **25**, 540
Insulating materials
amperometric response of ambient temperature oxygen sensors based on insulating material-dispersed $PbSnF_4$ layers, **25**, 438
Integrated molecular systems
integrated molecular systems for biosensors, **24**, 1
Integrated sensors
ISFET integrated sensor technology, **24**, 232
Interdigital capacitors
combustion gas sensitivity of zeolite layers on thin-film capacitors, **25**, 403
development of a high-temperature basic device for chemical sensors based on an IDC with on-chip heating, **25**, 584
Interface states
role and mechanism of the formation of hydrogen-induced interface states for platinum/silicon oxide/silicon MOS tunnelling diodes, **25**, 815
Interfacial issues
interfacial issues in the design and making of solid-state chemical sensors, **24**, 266
Inverse feature space
design of sensor arrays by use of an inverse feature space, **25**, 781
In vivo monitoring
in vivo continuous monitoring of L-lactate coupling subcutaneous microdialysis and an electrochemical biocell, **24**, 138
Ion-beam modification
ion-beam modification of ISFET membranes for copper ion detection, **24**, 225
Ion-selective electrodes
potentiometric test strip, **24**, 279
evidence of silver(I) adsorption processes on the electroactive surface of the silver/silver selenide electrode, **24**, 336
disposable ion-selective electrodes, **25**, 721
Ion sensors
Cu^{2+}-selective thin films for chemical microsensors based on sputtered copper–arsenic–selenium glass, **25**, 733
models and methods of determining the transient response of ion sensors: comparison with impedance spectroscopy, **25**, 737
Iron
application of bistable nature of metal surface in aqueous solution to an oxygen sensor, **25**, 861
Iron oxide
the influence of morphology on the response of iron-oxide gas sensors, **25**, 448
niobium-doped α-Fe_2O_3 semiconductor ceramic sensors for the measurement of nitric oxide gases, **25**, 673
ISFETs
a new ISFET device for cocaine analysis, **24**, 188
a novel description of ISFET sensitivity with the buffer capacity and double-layer capacitance as key parameters, **24**, 201
electrical characterization of the aging of sealing materials for ISFET chemical sensors, **24**, 206
modelling the short-time response of ISFET sensors, **24**, 211
an array of H^+ FETs for space-resolved electrochemical measurements in microenvironments, **24**, 218
a preliminary application of highly sensitive nitrate ISFETs to acid-rain monitoring, **24**, 222
ion-beam modification of ISFET membranes for copper ion detection, **24**, 225
new technology for easy and fully IC-compatible fabrication of backside-contacted ISFETs, **24**, 228
ISFET integrated sensor technology, **24**, 232
sensing characteristics of ISFET-based hydrogen sensor using proton-conductive thick film, **25**, 499
photocurable polymers applied as encapsulating materials for ISFET production, **25**, 823

L-lactate
in vivo continuous monitoring of L-lactate coupling subcutaneous microdialysis and an electrochemical biocell, **24**, 138
Langmuir–Blodgett films
response of chemically modified $PrPc_2$, $PrPc_2^1$ and $GdPc_2^1$ Langmuir–Blodgett films to tobacco smoke, **25**, 643
LB-based PAB immunosystem: activity of an immobilized urease monolayer, **25**, 876

Langmuir–Blodgett technique
high-sensitivity biosensor based on LB technology and on nanogravimetry, **24**, 121
Lanthanum cuprate
study of the conduction mechanism of La_2CuO_4–ZnO hetero-contacts at different relative humidities, **25**, 714
Lanthanum iron oxide
NO_2 sensitive $LaFeO_3$ thin films prepared by r.f. sputtering, **25**, 661
Lanthanum oxide
CO gas sensor based on Au–La_2O_3 loaded SnO_2 ceramic, **25**, 486
Laser diodes
CH_4 optical sensor using a 1.31 μm DFB laser diode, **25**, 603
Lead phthalocyanine
response of lead phthalocyanine to high NO_2 concentration, **25**, 596
Light-addressable potentiometric sensors
highly sensitive taste sensor with a new differential LAPS method, **25**, 819
Limiting-current sensors
CO_2 monitoring by solid-state limiting-current sensors, **25**, 636
Linear regression techniques
non-linear signal evaluation with linear regression techniques for redundant signals, **25**, 805
Lipid membrane
study of astringency and pungency with multichannel taste sensor made of lipid membranes, **24**, 75
Lipophilic thioethers
Ag^+-selective electrodes based on lipophilic thioethers, **24**, 183
Liquid sensors
new design for QCM sensors in liquids, **24**, 43
Lithium ionic conductor
a tip-type carbon dioxide gas-sensor probe based on lithium and oxide ionic conductors, **25**, 380
Lysozyme
glucose-sensitive ENFET using potassium ferricyanide as an oxidizing substrate: the effect of an additional lysozyme membrane, **24**, 117

Meat freshness
application of semiconductor gas sensor to quality control of meat freshness in food industry, **25**, 797
Mediator-modified enzyme
self-assembly of mediator-modified enzyme in porous gold-black electrode for biosensing, **24**, 113
Membrane electrode
design and properties of flow-through electrode with AgI-based membrane hydrophobized by PTFE; application to flow-injection determination of thiourea, **24**, 312
Membrane-type sensor elements
material and design considerations for low-power microheater modules for gas-sensor applications, **25**, 343
Mercury sensors
thin films of chalcogenide glass as sensitive membranes for the detection of mercuric ions in solution, **24**, 296
a mercury sensor for flow- and batch-injection analyses, **24**, 317
Metal/oxide interfaces
engineering of oxide surfaces and metal/oxide interfaces for chemical sensors: recent trends, **24**, 239
Metal carbonate
solid-state potentiometric CO_2 sensors using anion conductor and metal carbonate, **24**, 260
application of metal tungstate–carbonate composite to nitrogen oxides sensor operative at elevated temperature, **25**, 396
Metal-island films
the use of metal-island-coated pH-sensitive swelling polymers for biosensor applications, **24**, 166
Metal oxides
transition between neck-controlled and grain-boundary-controlled sensitivity of metal-oxide gas sensors, **25**, 454
sensitivity mechanism of metal oxides to oxygen detected by means of kinetic studies at high temperatures, **25**, 639
Metal oxide semiconductor
metal oxide semiconductor NO_2 sensor, **25**, 388
Metal phthalocyanines
the interaction of transition metal phthalocyanines with organic molecules: a quartz-microbalance study, **24**, 69
Metal surfaces
application of bistable nature of metal surface in aqueous solution to an oxygen sensor, **25**, 861
Metal tungstate
application of metal tungstate–carbonate composite to nitrogen oxides sensor operative at elevated temperature, **25**, 396
Methane detection
comparison between two Figaro sensors (TGS 813 and TGS 842) for the detection of methane, in terms of selectivity and long-term stability, **25**, 525
Methane sensors
a selective CH_4 sensor using semiconducting Ga_2O_3 thin films based on temperature switching of multigas reactions, **25**, 544
CH_4 optical sensor using a 1.31 μm DFB laser diode, **25**, 603
Microelectrode arrays
chip-array electrodes for simultaneous stripping analysis of trace metals, **25**, 899
Microelectronic packages
sensor calibration of a SAW resonator for absolute humidity measurements in microelectronic packages, **25**, 686
Microenvironments
an array of H^+ FETs for space-resolved electrochemical measurements in microenvironments, **24**, 218
Microheater modules
material and design considerations for low-power microheater modules for gas-sensor applications, **25**, 343
Microheaters
application of a new technique for temperature-profile measurements in microheaters, **25**, 904
Microsensor array
an amperometric microsensor array with 1024 individually addressable elements for two-dimensional concentration mapping, **24**, 300
Microsensors
tin oxide micro gas sensor for detecting CH_3SH, **25**, 478
characterization of porous tin oxide thin films and their application to microsensor fabrication, **25**, 482
Cu^{2+}-selective thin films for chemical microsensors based on sputtered copper–arsenic–selenium glass, **25**, 733
Microstructures
vapour and gas sensing by noise measurements on polymeric balanced bridge microstructures, **25**, 429
Model for astringency sensation
study of astringency and pungency with multichannel taste sensor made of lipid membranes, **24**, 75
Modelling
physical description of the principle of an SO_2 sensor, **25**, 400
Molecular recognition
supramolecular and polymeric structures for gas sensors, **24**, 17
molecular recognition applied to sensors, **24**, 33

Monoclonal antibody
LB-based PAB immunosystem: activity of an immobilized urease monolayer, **25**, 876
Monolayer
polymeric Langmuir films with glucose oxidase as prototype biosensors, **24**, 177
Morphology
the influence of morphology on the response of iron-oxide gas sensors, **25**, 448
MOS tunnelling diodes
role and mechanism of the formation of hydrogen-induced interface states for platinum/silicon oxide/silicon MOS tunnelling diodes, **25**, 815
Multicontaminant monitoring
development of a fiber-optic chemical sensor for multicontaminant monitoring of environmental systems, **25**, 458
Multi-ion biosensor
multi-ion biosensor with use of a hybrid-enzyme membrane, **24**, 103

Nanogravimetry
high-sensitivity biosensor based on LB technology and on nanogravimetry, **24**, 121
LB-based PAB immunosystem: activity of an immobilized urease monolayer, **25**, 876
NASICON
carbon dioxide sensor using NASICON prepared by the sol–gel method, **25**, 607
Neural-network analysis
identification of aromas from wine using quartz-resonator gas sensors in conjuction with neural-network analysis, **25**, 794
Neural networks
improvement of surface acoustic wave gas sensor response time using neural-network pattern recognition, **25**, 777
a composed neural network for the recognition of gas mixtures, **25**, 808
Nickel copper oxide
selective nitrogen dioxide sensor based on nickel copper oxide mixed with rare earths, **25**, 619
Niobium
niobium-doped α-Fe_2O_3 semiconductor ceramic sensors for the measurement of nitric oxide gases, **25**, 673
Nitrate sensor
a preliminary application of highly sensitive nitrate ISFETs to acid-rain monitoring, **24**, 222
nitrate-sensitive corroding metal electrode, **24**, 291
Nitric oxide sensors
niobium-doped α-Fe_2O_3 semiconductor ceramic sensors for the measurement of nitric oxide gases, **25**, 673
Nitrogen dioxide
response of lead phthalocyanine to high NO_2 concentration, **25**, 596
Nitrogen dioxide sensors
metal oxide semiconductor NO_2 sensor, **25**, 388
the influence of deposition parameters on the performance of tin dioxide NO_2 sensors prepared by radio-frequency magnetron sputtering, **25**, 469
selective nitrogen dioxide sensor based on nickel copper oxide mixed with rare earths, **25**, 619
Nitrogen oxide sensors
capacitive-type sensors for the selective detection of nitrogen oxides, **25**, 392
application of metal tungstate–carbonate composite to nitrogen oxides sensor operative at elevated temperature, **25**, 396
chemical and electronic characterization of pure SnO_2 and Cr-doped SnO_2 pellets through their different response to NO, **25**, 564
NO_2 sensitive $LaFeO_3$ thin films prepared by r.f. sputtering, **25**, 661
Noise
responsivity and noise in illustrative solid-state chemical sensors, **24**, 6
Non-equilibrated gas mixtures
a new method for on-vehicle detection of catalyst malfunction based upon measurement of non-equilibrated gas mixtures, **25**, 665
Non-linear models
structure identification of non-linear models for QMB polymer-coated sensors, **25**, 830
Non-linear signal evaluation
non-linear signal evaluation with linear regression techniques for redundant signals, **25**, 805

Odour sensors
highly sensitive odour sensors using various SnO_2 thick films, **25**, 773
continuous determination and discrimination of mixed odour vapours by a new chemiluminescence-based sensor system, **25**, 790
On-chip heating
a capacitive CO_2 sensor with on-chip heating, **25**, 412
Optical sensors
simultaneous determination of refractive index and absorbance spectra of chemical samples using surface plasmon resonance, **25**, 747
optical viscosity sensor using forward light scattering, **25**, 753
optical CO detection by use of CuO/Au composite films, **25**, 851
Optical waveguides
feasibility of optical waveguide immunosensors for pesticide detection: physical aspects, **24**, 90
Optrodes
development of a fiber-optic chemical sensor for multicontaminant monitoring of environmental systems, **25**, 458
Organic solvent detection
the interaction of transition metal phthalocyanines with organic molecules: a quartz-microbalance study, **24**, 69
Organic solvents
effects of organic solvents on semicontinuous immunochemical detection of coumarin derivatives, **24**, 80
detection of organic solvents with reliable chemical sensors based on cellulose derivatives, **25**, 443
Organic vapours
selective detection of organic compounds by means of cavitand-coated QCM transducers, **24**, 39
Organometallic polymers
organometallic polymer membrane for gas detection applied to a surface acoustic wave sensor, **25**, 670
Organophosphorus compounds
a surface acoustic wave gas sensor: detection of organophosphorus compounds, **24**, 58
Organosilanes
usage of organosilanes for integration of enzymes and immunocomponents with electrochemical and optical transducers, **24**, 173
Oxide ionic conductor
a tip-type carbon dioxide gas-sensor probe based on lithium and oxide ionic conductors, **25**, 380
Oxide surfaces
engineering of oxide surfaces and metal/oxide interfaces for chemical sensors: recent trends, **24**, 239
Oxidizing agents
the interaction of different oxidizing agents on doped tin oxide, **25**, 512

Oxygen sensor
development of a robust electrochemical oxygen sensor, **24**, 328
steady-state model of a zirconia oxygen sensor in a simple gas mixture, **25**, 362
donor-doped $Gd_2Ti_2O_7$ as a semiconductor-type oxygen sensor, **25**, 370
amperometric response of ambient temperature oxygen sensors based on insulating material-dispersed $PbSnF_4$ layers, **25**, 438
influence of chemical composition on sensitivity and signal reproducibility of CdS sensors of oxygen, **25**, 628
sensitivity mechanism of metal oxides to oxygen detected by means of kinetic studies at high temperatures, **25**, 639
high-temperature humidity sensor using a limiting-current-type plane multi-oxygen sensor for direct firing system, **25**, 701
application of bistable nature of metal surface in aqueous solution to an oxygen sensor, **25**, 861

Pattern recognition
complex chemical pattern recognition with sensor array: the discrimination of vintage years of wine, **25**, 801
a composed neural network for the recognition of gas mixtures, **25**, 808
Pesticide detection
feasibility of evanescent wave interferometer immunosensors for pesticide detection: chemical aspects, **25**, 762
Pesticides
disposable ruthenized screen-printed biosensors for pesticides monitoring, **24**, 85
feasibility of optical waveguide immunosensors for pesticide detection: physical aspects, **24**, 90
Photocurable polymers
photocurable polymers applied as encapsulating materials for ISFET production, **25**, 823
pH sensors
an array of H^+ FETs for space-resolved electrochemical measurements in microenvironments, **24**, 218
application of a proton-conducting electrolyte for a pH sensor, **25**, 741
Phthalocyanines
response of chemically modified $PrPc_2$, $PrPc_2^1$ and $GdPc_2^1$ Langmuir–Blodgett films to tobacco smoke, **25**, 643
Piezoelectric sensor
selective and repeatable detection of human serum albumin by using piezoelectric immunosensor, **24**, 134
Planar-interdigitated electrodes
theoretical and experimental determination of cell constants of planar-interdigitated electrolyte conductivity sensors, **24**, 252
Platinum
sensitivity of novel ultrathin platinum film immunosensors to buffer ionic strength, **24**, 98
Ca- and Pt-catalysed thin-film SnO_2 gas sensors for CO and CO_2 detection, **25**, 529
Polyaniline
gas sensing using a charge-flow transistor, **25**, 451
Polycrystalline diamond
a polycrystalline diamond thin-film-based hydrogen sensor, **25**, 421
Polymer coating
capacitive sensors in CMOS technology with polymer coating, **25**, 357
Polymeric structures
supramolecular and polymeric structures for gas sensors, **24**, 17
Polymerizable lipid
polymeric Langmuir films with glucose oxidase as prototype biosensors, **24**, 177
Polymers
vapour and gas sensing by noise measurements on polymeric balanced bridge microstructures, **25**, 429
a study of low-cost sensors for measuring low relative humidity, **25**, 681
humidity sensor durable at high humidity using simultaneously crosslinked and quaternized poly(chloromethyl styrene), **25**, 689
a capacitive-type humidity sensor using crosslinked poly(methyl methacrylate-co-(2 hydroxypropyl)-methacrylate), **25**, 710
all-solid-state potassium-selective electrode using double-layer film of polypyrrole/polyanion composite and plasticized poly(vinyl chloride) containing valinomycin, **25**, 724
structure identification of non-linear models for QMB polymer-coated sensors, **25**, 830
Polypyrrole
all-solid-state potassium-selective electrode using double-layer film of polypyrrole/polyanion composite and plasticized poly(vinyl chloride) containing valinomycin, **25**, 724
Polysiloxanes
durable chemical sensors based on field-effect transistors, **24**, 197
Polysulfone
a thin-film polysulfone-based capacitive-type relative-humidity sensor, **25**, 692
Pore networks
connectivity of pore networks in chemically sensitive materials, **25**, 865
Porous silica
pore size and pore-size distribution control of porous silica, **25**, 347
Potassium ferricyanide
glucose-sensitive ENFET using potassium ferricyanide as an oxidizing substrate: the effect of an additional lysozyme membrane, **24**, 117
Potassium-selective electrodes
all-solid-state potassium-selective electrode using double-layer film of polypyrrole/polyanion composite and plasticized poly(vinyl chloride) containing valinomycin, **25**, 724
Potassium sensor
potentiometric test strip, **24**, 279
Potentiometric alternating biosensors
LB-based PAB immunosystem: activity of an immobilized urease monolayer, **25**, 876
characterization of silicon transducers with Si_3N_4 sensing surfaces by an AFM and a PAB system, **25**, 889
Potentiometric gas sensors
potentiometric and amperometric gas sensors based on the protonic conduction of layered zirconium phosphates and phosphonates, **24**, 270
Potentiometric sensor
potentiometric sensor using stabilized zirconia for chlorine gas, **24**, 287
Principal-component analysis
study of astringency and pungency with multichannel taste sensor made of lipid membranes, **24**, 75
Process control
analytical applications of chalcogenide glass chemical sensors in environmental monitoring and process control, **24**, 309
Proton-conducting electrolytes
application of a proton-conducting electrolyte for a pH sensor, **25**, 741

Proton conductors
sensing characteristics of ISFET-based hydrogen sensor using proton-conductive thick film, **25**, 499
Pungency
study of astringency and pungency with multichannel taste sensor made of lipid membranes, **24**, 75
Pyrochlores
donor-doped $Gd_2Ti_2O_7$ as a semiconductor-type oxygen sensor, **25**, 370

Quartz-crystal microbalance
new design for QCM sensors in liquids, **24**, 43
the interaction of transition metal phthalocyanines with organic molecules: a quartz-microbalance study, **24**, 69
comparison of the QCM and the SPR method for surface studies and immunological applications, **24**, 107
validation of the quartz-crystal microbalance response in liquid for sensor applications, **24**, 257
Quartz-crystal microbalance transducers
selective detection of organic compounds by means of cavitand-coated QCM transducers, **24**, 39
Quartz-crystal resonator
effects of surface physical sorption on characteristic of coated quartz-crystal humidity sensor, **24**, 62
Quartz-microbalance sensors
structure identification of non-linear models for QMB polymer-coated sensors, **25**, 830
Quartz-resonator gas sensors
identification of aromas from wine using quartz-resonator gas sensors in conjuction with neural-network analysis, **25**, 794

Rare earths
selective nitrogen dioxide sensor based on nickel copper oxide mixed with rare earths, **25**, 619
Reduced-pressure environments
development and testing of a solid-state CO_2 gas sensor for use in reduced-pressure environments, **25**, 407
Reference electrode
disposable reference electrode, **24**, 276
Relative-humidity sensors
a thin-film polysulfone-based capacitive-type relative-humidity sensor, **25**, 692
Responsivity
responsivity and noise in illustrative solid-state chemical sensors, **24**, 6
Ruthenium
disposable ruthenized screen-printed biosensors for pesticides monitoring, **24**, 85

Sandwich method
selective and repeatable detection of human serum albumin by using piezoelectric immunosensor, **24**, 134
SAW resonator
sensor calibration of a SAW resonator for absolute humidity measurements in microelectronic packages, **25**, 686
Self-assembly
self-assembly of mediator-modified enzyme in porous gold-black electrode for biosensing, **24**, 113
Semiconductor–cleft–semiconductor structure
a new type of gas sensor based on the semiconductor–cleft–semiconductor structure, **25**, 353
Semiconductor gas sensors
application of semiconductor gas sensor to quality control of meat freshness in food industry, **25**, 797
Semiconductor sensors
donor-doped $Gd_2Ti_2O_7$ as a semiconductor-type oxygen sensor, **25**, 370
semiconductor dimethylamine gas sensors with high sensitivity and selectivity, **25**, 375
a systematic investigation on the use of time-dependent sensor signals in signal-processing techniques, **25**, 785
Semiconductor surfaces
interaction between collective and local subsystems in semiconductor surface-active structures, **25**, 647
Sensing technology
state of sensing technology development in China, **25**, 854
Sensor arrays
sensor-array calibration time reduction by dynamic modelling, **25**, 578
design of sensor arrays by use of an inverse feature space, **25**, 781
complex chemical pattern recognition with sensor array: the discrimination of vintage years of wine, **25**, 801
non-linear signal evaluation with linear regression techniques for redundant signals, **25**, 805
a composed neural network for the recognition of gas mixtures, **25**, 808
Sensor calibration
sensor calibration of a SAW resonator for absolute humidity measurements in microelectronic packages, **25**, 686
Sensor packaging
photocurable polymers applied as encapsulating materials for ISFET production, **25**, 823
Sensor rise time
a systematic investigation on the use of time-dependent sensor signals in signal-processing techniques, **25**, 785
Sensors
molecular recognition applied to sensors, **24**, 33
Short-term draft
a systematic investigation on the use of time-dependent sensor signals in signal-processing techniques, **25**, 785
Short-term fatigue
a method for correcting short-term fatigue in electrochemical gas sensors, **24**, 248
Short-time response
modelling the short-time response of ISFET sensors, **24**, 211
Signal processing
physical description of the principle of an SO_2 sensor, **25**, 400
Signal-processing techniques
a systematic investigation on the use of time-dependent sensor signals in signal-processing techniques, **25**, 785
Silanization
LB-based PAB immunosystem: activity of an immobilized urease monolayer, **25**, 876
Silicon
near-infrared surface plasmon resonance in silicon-based sensor: new opportunities in sensitive detection of biomolecules from aqueous solutions by applying microstep for discriminating specific and non-specific binding, **25**, 756
Silicon carbide
material and design considerations for low-power microheater modules for gas-sensor applications, **25**, 343
Silicon micromachining
material and design considerations for low-power microheater modules for gas-sensor applications, **25**, 343
Silicon transducers
characterization of silicon transducers with Si_3N_4 sensing surfaces by an AFM and a PAB system, **25**, 889
Silver
evidence of silver(I) adsorption processes on the electroactive surface of the silver/silver selenide electrode, **24**, 336
Silver nitrate
the effect of treatment of cation-selective glass electrodes with $AgNO_3$ solution on electrode properties, **24**, 304

Silver-selective electrodes
Ag^+-selective electrodes based on lipophilic thioethers, **24**, 183
Silver selenide
evidence of silver(I) adsorption processes on the electroactive surface of the silver/silver selenide electrode, **24**, 336
Site-binding model
using the site-binding model for an explanation of the blood compatibility of some materials used in biomedical sensors, **24**, 159
Sodium sensor
an electrochemical sodium sensor for aluminium melts, **24**, 273
potentiometric test strip, **24**, 279
Sol–gel method
carbon dioxide sensor using NASICON prepared by the sol–gel method, **25**, 607
Sol–gel process
sol–gel processed TiO_2-based thin films as innovative humidity sensors, **25**, 705
Solid electrolytes
microstructure and response behaviour of electrodes for CO_2 gas sensors based on solid electrolytes, **25**, 600
CO_2 monitoring by solid-state limiting-current sensors, **25**, 636
Solid membrane sensors
a solid membrane sensor for chromate ions, **25**, 729
Solid-state chemical sensors
interfacial issues in the design and making of solid-state chemical sensors, **24**, 266
Solid-state electrolyte
preparation of K_2O–Sm_2O_3–$nSiO_2$-based solid-state electrolyte and its application to electrochemical CO_2 gas sensor, **24**, 282
Solid-state sensors
responsivity and noise in illustrative solid-state chemical sensors, **24**, 6
development and testing of a solid-state CO_2 gas sensor for use in reduced-pressure environments, **25**, 407
investigation of electrical properties of high-resistivity materials for solid-state sensors, **25**, 894
Sputtering
NO_2 sensitive $LaFeO_3$ thin films prepared by r.f. sputtering, **25**, 661
Stannous tungstate
a study of gas-sensing properties of sputtered α-$SnWO_4$ thin films, **25**, 591
Steady-state model
steady-state model of a zirconia oxygen sensor in a simple gas mixture, **25**, 362
Subcutaneous microdialysis
in vivo continuous monitoring of L-lactate coupling subcutaneous microdialysis and an electrochemical biocell, **24**, 138
Sulfur dioxide sensors
physical description of the principle of an SO_2 sensor, **25**, 400
physical interpretation of the influence of humidity on an SO_2 sensor, **25**, 552
study of the behaviour of CeO_2 in SO_2-containing environment, **25**, 631
Supramolecular structures
supramolecular and polymeric structures for gas sensors, **24**, 17
Surface acoustic waves
theory, design and operation of a surface acoustic wave hydrogen sulfide microsensor, **24**, 49
a versatile SAW-based sensor system for investigating gas-sensitive coatings, **24**, 54
a surface acoustic wave gas sensor: detection of organophosphorus compounds, **24**, 58
mass sensitivity of temperature-stabilized surface acoustic wave delay lines on GaAs, **24**, 65
improvement of surface acoustic wave gas sensor response time using neural-network pattern recognition, **25**, 777
Surface acoustic wave sensors
organometallic polymer membrane for gas detection applied to a surface acoustic wave sensor, **25**, 670
a study of condensation and dew point using a SAW sensor, **25**, 696
Surface plasmon resonance
comparison of the QCM and the SPR method for surface studies and immunological applications, **24**, 107
surface plasmon resonance study for the detection of some biomolecules, **24**, 142
simultaneous determination of refractive index and absorbance spectra of chemical samples using surface plasmon resonance, **25**, 747
near-infrared surface plasmon resonance in silicon-based sensor: new opportunities in sensitive detection of biomolecules from aqueous solutions by applying microstep for discriminating specific and non-specific binding, **25**, 756
Surface sorption
effects of surface physical sorption on characteristic of coated quartz-crystal humidity sensor, **24**, 62
Surface studies
comparison of the QCM and the SPR method for surface studies and immunological applications, **24**, 107
Surfactants
effect of surfactants on the signal of chemically modified amperometric electrodes, **24**, 323
Swelling polymers
the use of metal-island-coated pH-sensitive swelling polymers for biosensor applications, **24**, 166
Systematic errors
sources of systematic errors in chemical sensor chemometrics, **25**, 769

Taste sensors
study of astringency and pungency with multichannel taste sensor made of lipid membranes, **24**, 75
highly sensitive taste sensor with a new differential LAPS method, **25**, 819
Temperature-profile measurements
application of a new technique for temperature-profile measurements in microheaters, **25**, 904
Temperature stabilization
mass sensitivity of temperature-stabilized surface acoustic wave delay lines on GaAs, **24**, 65
Temperature switching
a selective CH_4 sensor using semiconducting Ga_2O_3 thin films based on temperature switching of multigas reactions, **25**, 544
Test strip
potentiometric test strip, **24**, 279
Thermally stimulated discharge
investigation of electrical properties of high-resistivity materials for solid-state sensors, **25**, 894
Thermochemistry
a study of tin-dioxide gas-sensor thermochemistry under conditions of varying oxygen partial pressure, **25**, 573
Thick films
the effect of humidity on tin-oxide thick-film gas sensors in the presence of reducing and combustible gases, **25**, 491
Thick-film sensors
the thick-film route to selective gas sensors, **25**, 415
tin oxide (SnOx) carbon monoxide sensor fabricated by thick-film methods, **25**, 537

thick-film zinc-oxide gas sensor for the control of lean air-to-fuel ratio in domestic combustion systems, **25**, 610
Thin-film interdigitated electrodes
application of urease conductometric biosensor for heavy-metal ion determination, **24**, 145
Thin films
thin films of chalcogenide glass as sensitive membranes for the detection of mercuric ions in solution, **24**, 296
a polycrystalline diamond thin-film-based hydrogen sensor, **25**, 421
highly sensitive and selective H_2S gas sensor from r.f. sputtered SnO_2 thin film, **25**, 433
SnO_2 thin films for gas sensor prepared by r.f. reactive sputtering, **25**, 465
sol–gel processed TiO_2-based thin films as innovative humidity sensors, **25**, 705
Thin-film sensors
aqueous ozone detector using In_2O_3 thin-film semiconductor gas sensor, **25**, 548
carbon-monoxide sensors based on thin films of $BaSnO_3$, **25**, 657
NO_2 sensitive $LaFeO_3$ thin films prepared by r.f. sputtering, **25**, 661
Thiourea
design and properties of flow-through electrode with AgI-based membrane hydrophobized by PTFE; application to flow-injection determination of thiourea, **24**, 312
Time-dependent sensor signals
a systematic investigation on the use of time-dependent sensor signals in signal-processing techniques, **25**, 785
Tin dioxide
structural and electrical characterization of PVD-deposited SnO_2 films for gas-sensor application, **25**, 568
a study of tin-dioxide gas-sensor thermochemistry under conditions of varying oxygen partial pressure, **25**, 573
Tin oxide
reception tuning of gas-sensor microsystems by selective coatings, **25**, 366
highly sensitive and selective H_2S gas sensor from r.f. sputtered SnO_2 thin film, **25**, 433
SnO_2 thin films for gas sensor prepared by r.f. reactive sputtering, **25**, 465
the influence of deposition parameters on the performance of tin dioxide NO_2 sensors prepared by radio-frequency magnetron sputtering, **25**, 469
surface morphology and gas-sensing characteristics of SnO_{2-x} thin films oxidized from Sn films, **25**, 474
tin oxide micro gas sensor for detecting CH_3SH, **25**, 478
characterization of porous tin oxide thin films and their application to microsensor fabrication, **25**, 482
CO gas sensor based on Au–La_2O_3 loaded SnO_2 ceramic, **25**, 486
the effect of humidity on tin-oxide thick-film gas sensors in the presence of reducing and combustible gases, **25**, 491
simulation of the effect of fractional dimension on tin-oxide-based gas sensors, **25**, 495
thin tin-oxide film alcohol-gas sensor, **25**, 504
the influence of the tin-oxide deposition technique on the sensitivity to CO, **25**, 507
the interaction of different oxidizing agents on doped tin oxide, **25**, 512
temperature dependencies of sensitivity and surface chemical composition of SnO_x gas sensors, **25**, 516
moisture effects on pure and Pd-doped SnO_2 thick films analysed by FTIR spectroscopy and conductance measurements, **25**, 520
Ca- and Pt-catalysed thin-film SnO_2 gas sensors for CO and CO_2 detection, **25**, 529
a cluster approach for the adsorption of oxygen and carbon monoxide on SnO_2 and CdS surfaces, **25**, 532
tin oxide (SnOx) carbon monoxide sensor fabricated by thick-film methods, **25**, 537
ultrafine grain-size tin-oxide films for carbon monoxide monitoring in urban environments, **25**, 559
chemical and electronic characterization of pure SnO_2 and Cr-doped SnO_2 pellets through their different response to NO, **25**, 564
a comparison of conductance behaviour between SnO_2 and CdS gas-sensitive films, **25**, 614
highly sensitive odour sensors using various SnO_2 thick films, **25**, 773
the effect of film oxygen content on SnO_x gas-sensor selectivity, **25**, 883
Tin oxide sensors
double-layer granular SnO_2 sensors, **25**, 826
Titania
sol–gel processed TiO_2-based thin films as innovative humidity sensors, **25**, 705
surface composition of alkali-doped TiO_2 films for sensors investigated by XPS, **25**, 886
Tobacco smoke sensors
response of chemically modified $PrPc_2$, $PrPc_2^t$ and $GdPc_2^t$ Langmuir–Blodgett films to tobacco smoke, **25**, 643
Trace metals
chip-array electrodes for simultaneous stripping analysis of trace metals, **25**, 899
Transcutaneous sensors
a new type of transcutaneous P_{CO2} sensor, **24**, 156
Transient response
models and methods of determining the transient response of ion sensors: comparison with impedance spectroscopy, **25**, 737
Trimethylamine
semiconductor dimethylamine gas sensors with high sensitivity and selectivity, **25**, 375

Urease immobilization
application of urease conductometric biosensor for heavy-metal ion determination, **24**, 145
Uric acid
determination of catecholamines and uric acid in biological fluids without pretreatment, using chemically amplified biosensors, **24**, 94

Vacuum sensors
application of the air-bridge microheater to gas detection, **25**, 857
Vapour sensors
vapour and gas sensing by noise measurements on polymeric balanced bridge microstructures, **25**, 429
Varistors
hydrogen-sensing mechanism of zinc oxide varistor gas sensors, **25**, 843
Viscosity sensors
optical viscosity sensor using forward light scattering, **25**, 753

X-ray photoelectron spectroscopy
surface composition of alkali-doped TiO_2 films for sensors investigated by XPS, **25**, 886

Zeolites
combustion gas sensitivity of zeolite layers on thin-film capacitors, **25**, 403

impedance of zeolite-based gas sensors, **25**, 653
Zinc oxide
a.c. impedance analysis of gas-sensing property in CuO/ZnO heterocontacts, **25**, 383
an IR study of CO-sensing mechanism on Au/ZnO, **25**, 540
a novel method for the preparation of NH_3 sensors based on ZnO–In thin films, **25**, 588
thick-film zinc-oxide gas sensor for the control of lean air-to-fuel ratio in domestic combustion systems, **25**, 610
zinc-oxide-based semiconductor sensors for detecting acetone and capronaldehyde in the vapour of consommé soup, **25**, 623
study of the conduction mechanism of La_2CuO_4–ZnO heterocontacts at different relative humidities, **25**, 714
hydrogen-sensing mechanism of zinc oxide varistor gas sensors, **25**, 843
Zirconia
potentiometric sensor using stabilized zirconia for chlorine gas, **24**, 287
development of a robust electrochemical oxygen sensor, **24**, 328
steady-state model of a zirconia oxygen sensor in a simple gas mixture, **25**, 362
Zirconium phosphate
potentiometric and amperometric gas sensors based on the protonic conduction of layered zirconium phosphates and phosphonates, **24**, 270